

Page Specifications

Per-page UI and feature specifications

- [Page: Accounts](#)
- [Page: Dashboard](#)
- [Page: Landing](#)
- [Page: Login](#)
- [Page: Notifications](#)
- [Page: Profile](#)
- [Page: Register](#)
- [Page: Scan](#)
- [Page: Send](#)
- [Page: Transactions](#)

Page: Accounts

Page Spec: Bank Accounts

Route

`/accounts`

Architecture Status

Core

Figma Reference

`accounts.png`

Visual Description from Figma

The bank accounts page displays all AISP-linked bank accounts via Open Banking:

- **Top bar:** Left side has a back arrow (ArrowLeft, NOT chevron) icon. "Mine kontoer" heading in bold **sans-serif** (NOT serif). No right-side icons.
- **Info card:** Light green/mint-colored rounded card with green shield icon (left side) and Norwegian text:
 - **"Open Banking (PSD2)"** — bold heading
 - "Drop Leser saldo fra banken din via BankID-samtykke. Vi lagrer aldri pengene dine — alt går direkte fra din bankkonto." — body text explaining PSD2 pass-through model
- **Bank account cards:** Two white rounded cards, vertically stacked:
 1. **DNB account**
 - Green circular icon with bank/building symbol (left side)
 - **"DNB"** — bold heading
 - **"Primær"** — small green badge/pill with green text and light green background, positioned next to bank name
 - "1234.56.78901" — account number in muted gray text below bank name

- **"35 200,00 NOK"** — large bold balance amount (right side, top-aligned)

2. Nordea account

- Green circular icon with bank/building symbol (left side)
- **"Nordea"** — bold heading (no badge)
- "9876.54.32100" — account number in muted gray text below bank name
- **"12 320,50 NOK"** — large bold balance amount (right side, top-aligned)
- **Total balance card:** White rounded card with:
 - "Samlet saldo" — muted gray text on left
 - **"47 520,50 NOK"** — large bold green text on right
- **Add account button:** White rounded card/button with:
 - **"+ Koble til ny bankkonto"** — center-aligned, dark text, plus icon prefix
- **Bottom navigation:** 5 tabs — Hjem (house outline), Send (paper plane outline), Skann (QR outline), Kort (card outline, active/green filled), Profil (person outline). "Kort" tab is active (green).

NOTE: Figma shows "Kort" tab active, but this is likely a design artifact. The accounts page should activate the "Profil" tab or no tab (if accounts is accessed from dashboard link).

Background is light gray. Spacing between cards is consistent.

Page Layout

App page WITH bottom nav

- └─ Top Bar
 - | └─ Left: Back arrow (chevron left)
 - | └─ Center: "Mine kontoer" heading
- └─ Info Card (light green bg, green shield icon)
 - | └─ "Open Banking (PSD2)" heading
 - | └─ Explanation text (PSD2 pass-through)
- └─ Bank Account Cards (white rounded)
 - | └─ For each account:
 - | └─ Bank icon (green circle) + Bank name + Badge (if primary) + Account number
 - | └─ Balance amount (right-aligned)
- └─ Total Balance Card (white rounded)
 - | └─ "Samlet saldo" label (left)
 - | └─ Total amount in green (right)
- └─ Add Account Button (white rounded)
 - | └─ "+ Koble til ny bankkonto"
- └─ Bottom Nav (Profil active or none)

Components

Top Bar

```
<div className="flex items-center px-6 pt-6">
  <button onClick={router.back} className="rounded-lg p-2 hover:bg-white/80">
    <ChevronLeft className="h-5 w-5 text-[#1A1A1A]" />
  </button>
  <h1 className="flex-1 text-center font-[family-name:var(--font-fraunces)] text-xl font-bold text-[#1A1A1A] -ml-12">
    Mine kontoer
  </h1>
</div>
```

Info Card

```
<div className="rounded-2xl bg-[#0B6E35]/10 p-4 border border-[#0B6E35]/20">
  <div className="flex gap-3">
    <div className="flex h-10 w-10 flex-shrink-0 items-center justify-center rounded-full bg-[#0B6E35]/20">
      <Shield className="h-5 w-5 text-[#0B6E35]" />
    </div>
    <div>
      <p className="font-semibold text-[#1A1A1A]">Open Banking (PSD2)</p>
      <p className="mt-1 text-sm text-[#6B7280]">
        Drop leser saldo fra banken din via BankID-samtykke. Vi lagrer aldri pengene dine – alt går direkte fra din bankkonto.
      </p>
    </div>
  </div>
</div>
```

Bank Account Card

```
<div className="flex items-center justify-between rounded-2xl bg-white p-4 shadow-sm">
  <div className="flex items-center gap-3">
    <div className="flex h-12 w-12 items-center justify-center rounded-full bg-[#0B6E35]/10">
```

```

    <Landmark className="h-6 w-6 text-[#0B6E35]" />
  </div>
  <div>
    <div className="flex items-center gap-2">
      <p className="text-base font-bold text-[#1A1A1A]">{bankName}</p>
      {isPrimary && (
        <span className="rounded-full bg-[#0B6E35]/10 px-2 py-0.5 text-xs font-medium text-
[#0B6E35]">
          Primær
        </span>
      )}
    </div>
    <p className="text-sm text-[#6B7280]">{accountNumber}</p>
  </div>
</div>
<p className="text-lg font-bold text-[#1A1A1A]">{formattedBalance} NOK</p>
</div>

```

Total Balance Card

```

<div className="flex items-center justify-between rounded-2xl bg-white p-4 shadow-sm">
  <p className="text-sm text-[#6B7280]">Samlet saldo</p>
  <p className="text-xl font-bold text-[#0B6E35]">{formattedTotal} NOK</p>
</div>

```

Add Account Button

```

<button className="flex h-14 w-full items-center justify-center gap-2 rounded-2xl bg-white
text-base font-medium text-[#1A1A1A] shadow-sm transition-colors hover:bg-[#F9FAFB]">
  <Plus className="h-5 w-5" />
  Koble til ny bankkonto
</button>

```

Data Displayed

Data	Source	API
------	--------	-----

List of linked bank accounts	AISP (Open Banking)	GET <code>/api/accounts</code>
Bank name	AISP account metadata	—
Account number	AISP account metadata	—
Account balance	AISP real-time balance read	—
Primary account flag	User preference stored in DB	—
Total balance	Calculated sum of all accounts	Client-side calculation

User Interactions

Element	Action	Result
Back arrow	Click	Navigate back to previous page (likely <code>/dashboard</code>)
Bank account card	Click	Navigate to account detail page (optional)
"+ Koble til ny bankkonto" button	Click	Initiate BankID flow to link new account via Open Banking
Bottom nav tabs	Click	Navigate to respective page

Norwegian Labels

Element	Norwegian Text
Page heading	Mine kontoer
Info card heading	Open Banking (PSD2)
Info card text	Drop leser saldo fra banken din via BankID-samtykke. Vi lagrer aldri pengene dine — alt går direkte fra din bankkonto.
Primary badge	Primær
Total balance label	Samlet saldo
Add account button	Koble til ny bankkonto

Design Tokens

Token	Value
-------	-------

Page bg	#EEEEEE
Card bg	#FFFFFF
Info card bg	#0B6E35 at 10% opacity (bg-[#0B6E35]/10)
Info card border	#0B6E35 at 20% opacity (border-[#0B6E35]/20)
Primary	#0B6E35
Primary hover	#095C2C
Text primary	#1A1A1A
Text muted	#6B7280
Text light	#9CA3AF
Border	#E5E7EB
Brand font	font-[family-name:var(--font-fraunces)]
Card radius	rounded-2xl
Button radius	rounded-2xl
Icon circle radius	rounded-full
Bank icon size	h-12 w-12
Shield icon size	h-10 w-10

Bottom Navigation

Yes — "Kort" tab shown as active in Figma (green, filled card icon), but this is likely a design artifact. In production, either "Profil" tab should be active (if accounts is part of profile section) or no tab should be highlighted (if accessed from dashboard link).

Page: Dashboard

Page Spec: Dashboard

Route

`/dashboard`

Architecture Status

Core

Figma Reference

`dashboard.png`

Visual Description from Figma

The dashboard is the main home screen after login:

- **Top bar:** Left side has a small Drop icon (green, simplified) + "drop" wordmark in bold serif. Right side has three icons: bell (notifications), a logout/share icon (arrow pointing out of box), and user avatar circle (gray circle with "A" initial).
- **Balance card:** White rounded card with:
 - "Hei, Amir!" greeting in muted text
 - "**kr 47 520,50**" — large bold balance amount
 - "DNB . 1234.56.78901" — bank name and partial account number
 - "Saldo lest fra din bankkonto via Open Banking" — small muted text explaining PSD2
 - Green building/bank icon + "2 kontoer tilkoblet" green link text
- **Action buttons row:** Two side-by-side buttons:
 - "**Send penger**" — dark green bg, white text, paper plane icon (Send/navigation style). Takes about 45% width.
 - "**Skann QR**" — white bg with border, dark text, QR code icon. Takes about 55% width.
- **Recent transactions section:**

- "Siste transaksjoner" bold heading with "Se alle" green link on the right
- Three transaction cards, each in its own white rounded card:
 1. **Kenan Basic** — "Overforing" subtitle, green paper plane icon in green circle, "-2 500 NOK" amount, green "fullfort" badge
 2. **Rema 1000** — "QR-betaling" subtitle, yellow QR icon in yellow circle, "-189 NOK" amount, green "fullfort" badge
 3. **Mirza Hadzic** — "Overforing" subtitle, green paper plane icon, "-5 000 NOK" amount, yellow/orange "behandler" badge
- **Bottom navigation:** 5 tabs — Hjem (active, green, filled house icon), Send (paper plane outline), Skann (QR outline), Kort (card outline), Profil (person outline). All inactive tabs are gray.

Background is light gray. Large empty space between transactions and bottom nav.

Page Layout

```

App page WITH bottom nav
├─ Top Bar
|   ├─ Left: Drop icon (small) + "drop" wordmark
|   └─ Right: Bell icon, Logout icon, User avatar (initials)
├─ Balance Card (white rounded)
|   ├─ "Hei, {name}!" greeting
|   ├─ Balance amount (large bold)
|   ├─ Bank name + account number
|   ├─ PSD2 explanation text
|   └─ "{n} kontoer tilkoblet" link
├─ Action Buttons Row
|   ├─ "Send penger" (green, paper plane icon)
|   └─ "Skann QR" (outlined, QR icon)
├─ Recent Transactions Section
|   ├─ "Siste transaksjoner" heading + "Se alle" link
|   └─ Transaction cards (up to 3)
|       ├─ Icon (type-based) + Name + Type subtitle
|       └─ Amount + Status badge
└─ Bottom Nav (Hjem active)
  
```

Components

Top Bar

```
<div className="flex items-center justify-between px-6 pt-6">
  <div className="flex items-center gap-2">
    <Image src="/drop-icon.png" alt="Drop" width={28} height={28} />
    <span className="font-[family-name:var(--font-fraunces)] text-lg font-bold text-
[#1A1A1A]">drop</span>
  </div>
  <div className="flex items-center gap-3">
    <button className="rounded-lg p-2 hover:bg-white/80">
      <Bell className="h-5 w-5 text-[#6B7280]" />
    </button>
    <button className="rounded-lg p-2 hover:bg-white/80">
      <Logout className="h-5 w-5 text-[#6B7280]" />
    </button>
    <div className="flex h-9 w-9 items-center justify-center rounded-full bg-[#E5E7EB] text-sm
font-semibold text-[#6B7280]">
      {initials}
    </div>
  </div>
</div>
```

Balance Card

```
<div className="rounded-2xl bg-white p-6 shadow-sm">
  <p className="text-sm text-[#6B7280]">Hei, {firstName}!</p>
  <p className="mt-1 text-2xl font-bold text-[#1A1A1A]">kr {formattedBalance}</p>
  <p className="mt-1 text-xs text-[#6B7280]">{bankName} . {accountNumber}</p>
  <p className="text-xs text-[#9CA3AF]">Saldo lest fra din bankkonto via Open Banking</p>
  <div className="mt-3 flex items-center gap-1.5">
    <Landmark className="h-4 w-4 text-[#0B6E35]" />
    <Link href="/accounts" className="text-sm font-medium text-[#0B6E35]
hover:underline">{accountCount} kontoer tilkoblet</Link>
  </div>
</div>
```

Action Buttons Row

```

<div className="flex gap-3">
  <Link href="/send" className="flex h-12 flex-1 items-center justify-center gap-2 rounded-xl
bg-[#0B6E35] text-sm font-semibold text-white hover:bg-[#095C2C] transition-colors">
    <Send className="h-4 w-4" />
    Send penger
  </Link>
  <Link href="/scan" className="flex h-12 flex-1 items-center justify-center gap-2 rounded-xl
border border-[#E5E7EB] bg-white text-sm font-medium text-[#1A1A1A] transition-colors
hover:bg-[#F9FAFB]">
    <QrCode className="h-4 w-4" />
    Skann QR
  </Link>
</div>

```

Recent Transactions Section

```

<div>
  <div className="flex items-center justify-between">
    <h2 className="text-lg font-bold text-[#1A1A1A]">Siste transaksjoner</h2>
    <Link href="/transactions" className="text-sm font-medium text-[#0B6E35]
hover:underline">Se alle</Link>
  </div>
  <div className="mt-3 space-y-3">
    {/* transaction cards */}
  </div>
</div>

```

Transaction Card

```

<div className="flex items-center justify-between rounded-2xl bg-white p-4 shadow-sm">
  <div className="flex items-center gap-3">
    <div className="flex h-10 w-10 items-center justify-center rounded-full bg-[#0B6E35]/10">
      {type === 'transfer' ? <Send className="h-5 w-5 text-[#0B6E35]" /> : <QrCode
className="h-5 w-5 text-[#D4A017]" />}
    </div>
    <div>
      <p className="text-sm font-semibold text-[#1A1A1A]">{counterparty}</p>
      <p className="text-xs text-[#6B7280]">{typeLabel}</p>
    </div>
  </div>

```

```

    </div>
</div>
<div className="text-right">
  <p className="text-sm font-semibold text-[#1A1A1A]">{formattedAmount} NOK</p>
  <span className={`rounded-full px-2 py-0.5 text-xs font-medium
  ${statusClasses}`}>{statusLabel}</span>
</div>
</div>

```

Status Badges

Status	Label	Classes
completed	fullfort	bg-[#16A34A]/10 text-[#16A34A]
pending	behandler	bg-[#D97706]/10 text-[#D97706]
failed	feilet	bg-[#EF4444]/10 text-[#EF4444]

Data Displayed

Data	Source	API
User name	JWT / user profile	GET /api/account
Balance	AISP (primary bank account)	GET /api/account
Bank name + account number	AISP linked account	GET /api/account
Connected accounts count	AISP	GET /api/account
Last 3 transactions	Transaction history	GET /api/transactions?limit=3

User Interactions

Element	Action	Result
Bell icon	Click	Navigate to /notifications
Logout icon	Click	Clear JWT cookie, redirect to /login
User avatar	Click	Navigate to /profile
"2 kontoer tilkoblet" link	Click	Navigate to /accounts
"Send penger" button	Click	Navigate to /send

Element	Action	Result
"Skann QR" button	Click	Navigate to <code>/scan</code>
"Se alle" link	Click	Navigate to <code>/transactions</code>
Transaction card	Click	Navigate to transaction detail (optional)
Bottom nav tabs	Click	Navigate to respective page

Norwegian Labels

Element	Norwegian Text
Greeting	Hei, {name}!
PSD2 note	Saldo lest fra din bankkonto via Open Banking
Accounts link	{n} kontoer tilkoblet
Send button	Send penger
Scan button	Skann QR
Transactions heading	Siste transaksjoner
See all link	Se alle
Transfer type	Overforing
QR payment type	QR-betaling
Status: completed	fullfort
Status: pending	behandler
Status: failed	feilet

Design Tokens

Token	Value
Page bg	<code>#EEEEEE</code>
Card bg	<code>#FFFFFF</code>
Primary	<code>#0B6E35</code>
Primary hover	<code>#095C2C</code>
Accent/Gold	<code>#D4A017</code>
Text primary	<code>#1A1A1A</code>

Token	Value
Text body	#374151
Text muted	#6B7280
Text light	#9CA3AF
Border	#E5E7EB
Success	#16A34A
Warning	#D97706
Error	#EF4444
Brand font	font- [family-name:var(--font-fraunces)]
Card radius	rounded-2xl
Button radius	rounded-xl
Icon circle radius	rounded-full
Avatar size	h-9 w-9

Bottom Navigation

Yes — "Hjem" tab active (green, filled house icon). All other tabs inactive (gray, outline icons).

Page: Landing

Page Spec: Landing

Route

/

Architecture Status

Core

Figma Reference

NO FIGMA — design needed. Designed from architecture document + design system reference.

Visual Description (Design Direction)

No Figma screenshot exists. This is a public marketing/landing page for unauthenticated users. It should follow the design system's visual language (green primary, white cards, DM Sans body font, Fraunces for brand text) and present Drop's value proposition: simple remittance and QR payments for everyone in Norway/Scandinavia. Desktop max-width 1200px, responsive down to 375px mobile.

Page Layout

Full-width page (no bottom nav, public page)

└─ Hero Section

| └─ Drop logo (green square + \$ icon + gold dot)

| └─ "drop" wordmark (Fraunces serif bold)

| └─ Tagline: "Enklere betalinger. Lavere gebyrer."

- | └─ Subtitle text explaining value proposition
- | └─ CTA: "Kom i gang" → /register
- | └─ Secondary CTA: "Logg inn" → /login
- └─ Hero Section (with ambient glow background)
 - | └─ Drop logo (green square + \$ icon + gold dot)
 - | └─ "drop" wordmark (Fraunces serif bold)
 - | └─ Headline: "Enklere betalinger. Lavere gebyrer." (split, second line green)
 - | └─ Subtitle text explaining value proposition
 - | └─ Primary CTA: "Opprett konto – gratis" → /register
 - | └─ Secondary CTA: "Logg inn" → /login
 - | └─ Stats card (3 columns): "0,5%" gebyr, "<2t" leveringstid, "30+" land
- └─ Features Section
 - | └─ Heading: "Alt du trenger i en app"
 - | └─ Feature card 1: Send penger (remittance icon + description)
 - | └─ Feature card 2: Betal med QR (QR icon + description)
 - | └─ Feature card 3: Virtuelt kort (card icon + description) ****NOT "Bankkontoer"****
- └─ Trust Section
 - | └─ BankID-verifisert badge (shield icon)
 - | └─ Rask overføring badge (fast transfer icon)
 - | └─ 30+ land badge (corridors icon)
- └─ Merchant CTA Section
 - | └─ "Er du butikkeier?" heading
 - | └─ Description: "Ta imot betalinger via QR. 1% gebyr..."
 - | └─ "Kom i gang" button
- └─ Footer
 - | └─ "Drop – et produkt av ALAI Holding AS" copyright

Components

Hero Section

```
<div className="flex min-h-screen flex-col items-center justify-center bg-[#EEEEEE] px-6">
  <div className="w-full max-w-sm space-y-6 text-center">
    <Image src="/drop-icon.png" alt="Drop" width={80} height={80} />
    <h1 className="font-[family-name:var(--font-fraunces)] text-3xl font-bold text-
[#1A1A1A]">drop</h1>
    <p className="text-sm italic text-[#0B6E35]">Enklere betalinger. Lavere gebyrer.</p>
```

```
    <!-- CTA buttons -->
  </div>
</div>
```

Feature Cards

```
<div className="rounded-2xl bg-white p-6 shadow-sm">
  <Icon className="h-8 w-8 text-[#0B6E35] mb-3" />
  <h3 className="text-lg font-bold text-[#1A1A1A]">Feature Title</h3>
  <p className="text-sm text-[#374151]">Description</p>
</div>
```

Hero Headline

```
<h1 className="font-[family-name:var(--font-fraunces)] text-5xl font-extrabold tracking-tight
mb-4 leading-[1.08] text-[#1A1A1A]">
  Enklere betalinger.
  <br />
  <span className="text-[#0B6E35]">Lavere gebyrer.</span>
</h1>
```

Primary CTA Button

```
<Link href="/register" className="group flex h-14 items-center justify-center gap-2 rounded-xl
bg-[#0B6E35] text-white font-semibold text-base hover:bg-[#095C2C]">
  Opprett konto – gratis
  <ArrowRight className="h-4 w-4 group-hover:translate-x-0.5" />
</Link>
```

Secondary CTA

```
<Link href="/login" className="flex h-14 items-center justify-center rounded-xl border border-
[#E5E7EB] bg-white text-[#1A1A1A] font-semibold text-base hover:bg-[#F9FAFB]">
  Logg inn
</Link>
```

Stats Card

```

<div className="grid grid-cols-3 gap-4 rounded-2xl bg-white border border-[#E5E7EB] shadow-sm p-5">
  <div className="text-center">
    <p className="text-2xl font-bold text-[#0B6E35]">0,5%</p>
    <p className="text-xs text-[#6B7280] mt-1">Gebyr</p>
  </div>
  <!-- repeat for other stats -->
</div>

```

Data Displayed

- Static marketing content only
- No API calls
- No authentication required

User Interactions

Element	Action	Result
"Opprett konto — gratis" button	Click	Navigate to <code>/register</code>
"Logg inn" button	Click	Navigate to <code>/login</code>
Merchant "Kom i gang" button	Click	NOT IMPLEMENTED (placeholder, href="#")

Norwegian Labels

Element	Norwegian Text
Brand wordmark	drop
Hero headline line 1	Enklere betalinger.
Hero headline line 2	Lavere gebyrer.
Hero subtitle	Send penger, betal med QR, administrer kort — alt på ett sted. Laget for alle i Skandinavia.
Primary CTA	Opprett konto — gratis
Secondary CTA	Logg inn
Stats label 1	Gebyr

Element	Norwegian Text
Stats label 2	Leveringstid
Stats label 3	Land
Features heading	Alt du trenger i en app
Feature 1 title	Send penger
Feature 1 desc	Overfør penger internasjonalt. 0,5% gebyr — billigere enn banken.
Feature 2 title	Betal med QR
Feature 2 desc	Skann og betal i butikken. Raskere og billigere enn kort.
Feature 3 title	Virtuelt kort
Feature 3 desc	Få et virtuelt kort for netthandel. Bestill fysisk kort hjem.
Trust badge 1	BankID-verifisert
Trust badge 2	Rask overføring
Trust badge 3	30+ land
Merchant CTA heading	Er du butikkeier?
Merchant CTA desc	Ta imot betalinger via QR. 1% gebyr — billigere enn kortterminalen.
Merchant CTA button	Kom i gang
Footer copyright	Drop — et produkt av ALAI Holding AS

Design Tokens

Token	Value
Page bg	#EEEEEE
Card bg	#FFFFFF
Primary	#0B6E35
Primary hover	#095C2C
Text primary	#1A1A1A
Text body	#374151
Text muted	#6B7280
Brand font	font- [family-name:var(--font-fraunces)]
Body font	DM Sans (default)

Token	Value
Card radius	rounded-2xl
Button radius	rounded-xl
Button height	h-12
Shadow	shadow-sm

Bottom Navigation

No — this is a public page, no bottom nav.

Page: Login

Page Spec: Login

Route

`/login`

Architecture Status

Core

Figma Reference

`login.png`

Visual Description from Figma

The login page shows:

- **Top section:** Drop logo — green rounded square with white dollar-sign icon (with circular arrows around it) and a small gold/orange dot on the top-right corner of the icon. Below the icon: "drop" in bold serif font (Fraunces). Below that: "Enklere betalinger. Lavere gebyrer." in green italic text.
- **Form card:** White rounded card with subtle shadow containing:
 1. **E-postadresse** — label above, input field with mail/envelope icon on the left. Placeholder: "navn@eksempel.no". Field has light gray background with rounded corners and subtle border.
 2. **Passord** — label above, input field with lock icon on the left and an eye/visibility toggle icon on the right. Shows dots (password masked). Same styling as email field.
 3. **"Glemt passord?"** — right-aligned green link text below the password field.
 4. **"Logg inn"** button — full width, dark green background (`#0B6E35`), white text, rounded corners. Has a right arrow icon next to the text.
 5. **Divider: NOT IMPLEMENTED** (claimed in Figma spec but missing from code)

6. **Social login buttons: NOT IMPLEMENTED** (BankID + Vipps claimed in Figma spec but missing from code)

- **Bottom text:** "Har du ikke konto? Opprett konto" — "Opprett konto" is a green bold link.

Background is light gray. The entire form is centered vertically and horizontally on the page.

Page Layout

Full-page centered (no bottom nav – auth page)

└─ Logo Section (centered)

| └─ Drop icon (64x64)

| └─ "drop" wordmark (Fraunces serif bold)

| └─ Tagline italic green

└─ Form Card (white rounded)

| └─ E-postadresse input (mail icon)

| └─ Passord input (lock icon + eye toggle)

| └─ "Glemt passord?" link (right-aligned) ****NOT IMPLEMENTED**** (href="#")

| └─ "Logg inn" button (green, full width, arrow icon)

└─ "Har du ikke konto? Opprett konto" link

Components

Logo Block

```
<div className="flex flex-col items-center space-y-2">
  <Image src="/drop-icon.png" alt="Drop" width={64} height={64} />
  <h1 className="font-[family-name:var(--font-fraunces)] text-3xl font-bold text-
[#1A1A1A]">drop</h1>
  <p className="text-sm italic text-[#0B6E35]">Enklere betalinger. Lavere gebyrer.</p>
</div>
```

Form Card

```
<div className="rounded-2xl bg-white p-6 shadow-sm space-y-4">
  {/* form fields + buttons */}
</div>
```

Email Input

```
<div>
  <label className="mb-1.5 block text-sm font-medium text-[#1A1A1A]">E-postadresse</label>
  <div className="relative">
    <Mail className="absolute left-3 top-1/2 h-4 w-4 -translate-y-1/2 text-[#6B7280]" />
    <input type="email" className="h-11 w-full rounded-lg border border-[#E5E7EB] bg-[#F9FAFB]
pl-10 pr-3 text-sm outline-none transition-colors focus:border-[#0B6E35] focus:ring-1
focus:ring-[#0B6E35]" placeholder="navn@eksempel.no" />
  </div>
</div>
```

Password Input

```
<div>
  <label className="mb-1.5 block text-sm font-medium text-[#1A1A1A]">Passord</label>
  <div className="relative">
    <Lock className="absolute left-3 top-1/2 h-4 w-4 -translate-y-1/2 text-[#6B7280]" />
    <input type={showPassword ? "text" : "password"} className="h-11 w-full rounded-lg border
border-[#E5E7EB] bg-[#F9FAFB] pl-10 pr-10 text-sm outline-none transition-colors focus:border-
[#0B6E35] focus:ring-1 focus:ring-[#0B6E35]" placeholder="....." />
    <button className="absolute right-3 top-1/2 -translate-y-1/2">
      <Eye className="h-4 w-4 text-[#9CA3AF]" />
    </button>
  </div>
  <div className="mt-1 text-right">
    <Link href="/forgot-password" className="text-xs font-medium text-[#0B6E35]
hover:underline">Glemt passord?</Link>
  </div>
</div>
```

Login Button

```
<Button className="h-12 w-full rounded-xl bg-[#0B6E35] text-white text-sm font-semibold
hover:bg-[#095C2C] transition-colors flex items-center justify-center gap-2">
  Logg inn
  <ArrowRight className="h-4 w-4" />
</Button>
```

Divider

```
<div className="flex items-center gap-3">
  <div className="h-px flex-1 bg-[#D1D5DB]" />
  <span className="text-xs font-medium tracking-wide text-[#9CA3AF]">ELLER LOGG INN MED</span>
  <div className="h-px flex-1 bg-[#D1D5DB]" />
</div>
```

Social Login Buttons

```
<div className="flex gap-3">
  <button className="flex h-12 flex-1 items-center justify-center gap-2 rounded-xl border
border-[#E5E7EB] bg-white text-sm font-medium text-[#1A1A1A] transition-colors hover:bg-
[#F9FAFB]">
  <Image src="/bankid-icon.png" alt="BankID" width={20} height={20} />
  BankID
</button>
  <button className="flex h-12 flex-1 items-center justify-center gap-2 rounded-xl border
border-[#E5E7EB] bg-white text-sm font-medium text-[#1A1A1A] transition-colors hover:bg-
[#F9FAFB]">
  <Image src="/vipps-icon.png" alt="Vipps" width={20} height={20} />
  Vipps
</button>
</div>
```

Register Link

```
<p className="text-center text-sm text-[#6B7280]">
  Har du ikke konto? <Link href="/register" className="font-semibold text-[#0B6E35]
hover:underline">Opprett konto</Link>
</p>
```

Error Message

```
<p className="text-sm text-[#EF4444] bg-[#EF4444]/10 rounded-md p-2">{error}</p>
```

Data Displayed

- Static form (no pre-loaded data)
- On submit: POST `/api/auth/login` with email + password
- On success: JWT set in httpOnly cookie, redirect to `/dashboard`

User Interactions

Element	Action	Result
E-postadresse input	Type	Captures email
Passord input	Type	Captures password
Eye icon	Click	Toggle password visibility
"Glemt passord?" link	Click	Navigate to forgot password flow
"Logg inn" button	Click	POST <code>/api/auth/login</code> , on success redirect to <code>/dashboard</code>
BankID button	Click	Initiate BankID auth flow (research ongoing)
Vipps button	Click	Initiate Vipps auth flow (research ongoing)
"Opprett konto" link	Click	Navigate to <code>/register</code>

Validation Rules

Field	Rule	Error Message
E-postadresse	Required, valid email	Ugyldig e-postadresse
Passord	Required, min 1 char	Passord er paakrevd
Auth failure	Invalid credentials	Feil e-postadresse eller passord

Norwegian Labels

Element	Norwegian Text
Email label	E-postadresse
Email placeholder	navn@eksempel.no
Password label	Passord

Element	Norwegian Text
Forgot password link	Glemt passord?
Login button	Logg inn
Divider text	ELLER LOGG INN MED
BankID button	BankID
Vipps button	Vipps
Register prompt	Har du ikke konto?
Register link	Opprett konto

Design Tokens

Token	Value
Page bg	#EEEEEE
Card bg	#FFFFFF
Input bg	#F9FAFB
Primary	#0B6E35
Primary hover	#095C2C
Border	#E5E7EB
Divider	#D1D5DB
Text primary	#1A1A1A
Text muted	#6B7280
Text light	#9CA3AF
Error	#EF4444
Brand font	font- [family-name:var(--font-fraunces)]
Card radius	rounded-2xl
Input radius	rounded-lg
Button radius	rounded-xl
Input height	h-11
Button height	h-12

Bottom Navigation

No — this is an auth page, no bottom nav.

Page: Notifications

Page Spec: Notifications

Route

`/notifications`

Architecture Status

Core

Figma Reference

No Figma — designed from architecture

Visual Description

The notifications page displays transaction alerts, system messages, and payment confirmations:

- **Top bar:** Left side has a back arrow (ArrowLeft, NOT chevron). "Varsler" heading in bold **sans-serif** (NOT serif). No right-side icons.
- **Notification list:** Vertically stacked notification cards, each in its own white rounded card:
 - **Unread notifications:** Bold title text with a green dot indicator (left edge)
 - **Read notifications:** Regular title text without indicator
 - Each card contains:
 - **Icon:** Type-based icon in colored circle (green for transfers, yellow for QR payments, blue for system messages)
 - **Title:** Bold notification heading
 - **Description:** Muted text with details
 - **Timestamp:** Muted text showing relative time ("2 timer siden", "I går 14:30")
- **Empty state:** When no notifications exist:
 - Large bell icon with slash (gray, centered)
 - "Ingen varsler" heading

- "Du vil motta varsler om transaksjoner og viktige meldinger her" description text
- **Bottom navigation:** 5 tabs — Hjem (house outline, gray), Send (paper plane outline, gray), Skann (QR outline, gray), Kort (card outline, gray), Profil (person outline, gray). No tab highlighted as active.

Background is light gray (#EEEEEE). All cards are white with rounded corners (#FFFFFF, rounded-2xl). Unread notifications appear at the top.

Page Layout

```
App page WITH bottom nav
├─ Top Bar
|   └─ Left: Back arrow (chevron left)
|       └─ Center: "Varsler" heading
├─ Notification List (or Empty State)
|   └─ Notification cards (sorted by date, unread first)
|       └─ Unread indicator (green dot)
|           └─ Icon (type-based color)
|               └─ Title (bold if unread)
|                   └─ Description (muted text)
|                       └─ Timestamp (relative time)
└─ Bottom Nav (no active tab)
```

Components

Top Bar

```
<div className="flex items-center gap-3 px-6 pt-6">
  <Link href="/dashboard">
    <button className="rounded-lg p-2 hover:bg-white/80">
      <ArrowLeft className="h-5 w-5 text-[#6B7280]" />
    </button>
  </Link>
  <h1 className="text-xl font-bold text-[#1A1A1A]">
    Varsler
  </h1>
</div>
```

Notification Card (Unread)

```
<div
  onClick={() => markAsRead(notification.id)}
  className="relative flex items-start gap-3 rounded-2xl bg-white p-4 shadow-sm cursor-pointer
  hover:bg-[#F9FAFB] transition-colors"
>
  {/* Unread indicator dot */}
  <div className="absolute left-0 top-1/2 -translate-y-1/2 h-2 w-2 rounded-full bg-[#0B6E35]"
  />

  {/* Icon */}
  <div className={`flex h-10 w-10 items-center justify-center rounded-full ${iconBgColor}`}>
    {getNotificationIcon(notification.type)}
  </div>

  {/* Content */}
  <div className="flex-1">
    <p className="text-sm font-bold text-[#1A1A1A]">{notification.title}</p>
    <p className="text-xs text-[#6B7280] mt-0.5">{notification.description}</p>
    <p className="text-xs text-[#9CA3AF] mt-1">{formatTimestamp(notification.created_at)}</p>
  </div>
</div>
```

Notification Card (Read)

```
<div
  className="flex items-start gap-3 rounded-2xl bg-white p-4 shadow-sm"
>
  {/* Icon */}
  <div className={`flex h-10 w-10 items-center justify-center rounded-full ${iconBgColor}`}>
    {getNotificationIcon(notification.type)}
  </div>

  {/* Content */}
  <div className="flex-1">
    <p className="text-sm font-semibold text-[#1A1A1A]">{notification.title}</p>
    <p className="text-xs text-[#6B7280] mt-0.5">{notification.description}</p>
  </div>
</div>
```

```
<p className="text-xs text-[#9CA3AF] mt-1">{formatTimestamp(notification.created_at)}</p>
</div>
</div>
```

Empty State

```
<div className="flex flex-col items-center justify-center px-6 py-16">
  <div className="flex h-16 w-16 items-center justify-center rounded-full bg-[#E5E7EB]">
    <BellOff className="h-8 w-8 text-[#9CA3AF]" />
  </div>
  <p className="mt-4 text-lg font-bold text-[#1A1A1A]">Ingen varsler</p>
  <p className="mt-2 text-center text-sm text-[#6B7280] max-w-xs">
    Du vil motta varsler om transaksjoner og viktige meldinger her
  </p>
</div>
```

Notification Icon Logic

```
function getNotificationIcon(type: string) {
  switch (type) {
    case 'transaction_sent':
    case 'transaction_received':
      return <Send className="h-5 w-5 text-[#0B6E35]" />;
    case 'qr_payment':
      return <QRCode className="h-5 w-5 text-[#D4A017]" />;
    case 'system_message':
    case 'account_linked':
    case 'security_alert':
      return <AlertCircle className="h-5 w-5 text-[#3B82F6]" />;
    default:
      return <Bell className="h-5 w-5 text-[#6B7280]" />;
  }
}

function getIconBgColor(type: string) {
  switch (type) {
    case 'transaction_sent':
    case 'transaction_received':
```

```

    return 'bg-[#0B6E35]/10';
case 'qr_payment':
    return 'bg-[#D4A017]/10';
case 'system_message':
case 'account_linked':
case 'security_alert':
    return 'bg-[#3B82F6]/10';
default:
    return 'bg-[#E5E7EB]';
}
}

```

Timestamp Formatter

```

function formatTimestamp(timestamp: string): string {
  const now = new Date();
  const then = new Date(timestamp);
  const diffMs = now.getTime() - then.getTime();
  const diffMins = Math.floor(diffMs / 60000);
  const diffHours = Math.floor(diffMs / 3600000);
  const diffDays = Math.floor(diffMs / 86400000);

  if (diffMins < 1) return 'Akkurat nå';
  if (diffMins < 60) return `${diffMins} ${diffMins === 1 ? 'minutt' : 'minutter'} siden`;
  if (diffHours < 24) return `${diffHours} ${diffHours === 1 ? 'time' : 'timer'} siden`;
  if (diffDays === 1) return `I går ${then.toLocaleTimeString('nb-NO', { hour: '2-digit',
minute: '2-digit' })}`;
  if (diffDays < 7) return `${diffDays} dager siden`;

  return then.toLocaleDateString('nb-NO', { day: 'numeric', month: 'short', hour: '2-digit',
minute: '2-digit' });
}

```

Data Displayed

Data	Source	API
Notification list	Notifications table	GET <code>/api/notifications</code>

Data	Source	API
Notification title	Notification record	From notifications table
Notification description	Notification record	From notifications table
Notification type	Notification record	transaction_sent / transaction_received / qr_payment / system_message / account_linked / security_alert
Notification read status	Notification record	is_read boolean
Notification timestamp	Notification record	created_at

User Interactions

Element	Action	Result
Back arrow	Click	Navigate back to previous page (dashboard)
Unread notification card	Click	Mark notification as read, update UI to show read state
Read notification card	Click	Optional — navigate to related resource (e.g., transaction detail)
Bottom nav tabs	Click	Navigate to respective page

Norwegian Labels

Element	Norwegian Text
Page heading	Varsler
Empty state heading	Ingen varsler
Empty state description	Du vil motta varsler om transaksjoner og viktige meldinger her
Timestamp: Now	Akkurat nå
Timestamp: Minutes	{n} minutt siden / {n} minutter siden
Timestamp: Hours	{n} time siden / {n} timer siden
Timestamp: Yesterday	I går {time}
Timestamp: Days	{n} dager siden
Notification: Transaction sent	Overføring sendt

Element	Norwegian Text
Notification: Transaction received	Penger mottatt
Notification: QR Payment	QR-betaling fullført
Notification: System message	Systemmelding
Notification: Account linked	Bankkonto tilkoblet
Notification: Security alert	Sikkerhetsvarsel

Design Tokens

Token	Value
Page bg	#EEEEEE
Card bg	#FFFFFF
Primary	#0B6E35
Primary hover	#095C2C
Accent/Gold	#D4A017
Info blue	#3B82F6
Text primary	#1A1A1A
Text muted	#6B7280
Text light	#9CA3AF
Border	#E5E7EB
Unread indicator	#0B6E35 (green dot)
Brand font	font- [family-name:var(--font-fraunces)]
Card radius	rounded-2xl
Icon circle radius	rounded-full
Hover bg	#F9FADF

Bottom Navigation

Yes — No tab active (all tabs gray, outline icons).

Page: Profile

Page Spec: Profile (Settings)

Route

/profile

Architecture Status

Core

Figma Reference

profile.png

Visual Description from Figma

The profile/settings page is the user account management screen:

- **Top bar:** Left side has a back arrow (ArrowLeft, NOT chevron) in muted gray. "Profil" heading in bold **sans-serif** font (NOT serif). Right side is empty. Background is light gray (#EEEEEE).
- **User card:** White rounded card at top with:
 - Circular avatar with light green background (#0B6E35/10 = 10% opacity green)
 - Initials "AH" in dark green (#0B6E35) centered in the avatar circle
 - User name "Amir Hadžić" in bold black **LEFT-ALIGNED** (NOT centered) next to avatar
 - Email "amir@eksempel.no" in muted gray below name, **LEFT-ALIGNED** (NOT centered)
 - **LAYOUT:** Avatar and text are in horizontal flexbox (NOT centered vertical stack)
- **Menu card:** White rounded card containing 5 menu items:
 1. **"Mine kontoer"** — building/bank icon (outlined, dark gray) on left, chevron right on right side
 2. **"Varsler"** — bell icon (outlined, dark gray) on left, chevron right on right side

3. **"Innstillinger"** — gear/cog icon (outlined, dark gray) on left, chevron right on right side
4. **"Sikkerhet"** — shield icon (outlined, dark gray) on left, chevron right on right side
5. **"Hjelp og støtte"** — question mark in circle icon (outlined, dark gray) on left, chevron right on right side
 - Each menu item has padding, separated by subtle divider lines
 - Icons are consistent size (approximately 20-24px)
 - Text is medium weight, dark black
 - Chevron right icons are muted gray
- **Logout button:** Separate white rounded button with:
 - "Logg ut" text in red (#EF4444)
 - Logout/exit icon (LogOut component) **inline with text** (NOT on left with text to right)
 - **2px solid red border** (border-2 border-[#EF4444])
 - White background, hover changes to light red (#FEF2F2)
- **Footer text: NOT IMPLEMENTED** (claimed in spec but missing from code)
- **Bottom navigation:** 5 tabs — Hjem (house outline), Send (paper plane outline), Skann (QR outline), Kort (card outline), Profil (active, green, filled person icon). All inactive tabs are gray.

Background is light gray (#EEEEEE). Spacing between cards is consistent.

Page Layout

App page WITH bottom nav

└─ Top Bar

| └─ Left: Back arrow

| └─ Center: "Profil" heading

| └─ Right: Empty

└─ User Card (white rounded, centered content)

| └─ Avatar circle (initials, green on light green bg)

| └─ User full name (bold)

| └─ Email address (muted)

└─ Menu Card (white rounded)

| └─ "Mine kontoer" (bank icon + chevron)

| └─ "Varsler" (bell icon + chevron)

| └─ "Innstillinger" (gear icon + chevron)

| └─ "Sikkerhet" (shield icon + chevron)

| └─ "Hjelp og støtte" (question icon + chevron)

└─ Logout Button Card (white rounded, red text)

| └─ "Logg ut" (logout icon)

```
|— Footer Text
|   └─ "Drop v0.1.0 · ALAI Holding AS"
└─ Bottom Nav (Profil active)
```

Components

Top Bar

```
<div className="flex items-center gap-3 px-6 pt-6">
  <Link href="/dashboard">
    <button className="rounded-lg p-2 hover:bg-white/80">
      <ArrowLeft className="h-5 w-5 text-[#6B7280]" />
    </button>
  </Link>
  <h1 className="text-xl font-bold text-[#1A1A1A]">Profil</h1>
</div>
```

User Card

```
<div className="rounded-2xl bg-white p-6 shadow-sm">
  <div className="flex items-center gap-4">
    <div className="h-14 w-14 rounded-full bg-[#0B6E35]/10 flex items-center justify-center text-xl font-bold text-[#0B6E35]">
      {user.firstName.charAt(0)}{user.lastName.charAt(0)}
    </div>
    <div>
      <p className="font-semibold text-lg text-[#1A1A1A]">{user.firstName} {user.lastName}</p>
      <p className="text-sm text-[#6B7280]">{user.email}</p>
    </div>
  </div>
</div>
```

Menu Card

```
<div className="rounded-2xl bg-white shadow-sm overflow-hidden">
  <MenuItem
```

```

    icon={<Building2 className="h-5 w-5" />}
    label="Mine kontoer"
    href="/accounts"
  />
<Divider />
<MenuItem
  icon={<Bell className="h-5 w-5" />}
  label="Varsler"
  href="/notifications"
/>
<Divider />
<MenuItem
  icon={<Settings className="h-5 w-5" />}
  label="Innstillinger"
  href="/settings"
/>
<Divider />
<MenuItem
  icon={<Shield className="h-5 w-5" />}
  label="Sikkerhet"
  href="/security"
/>
<Divider />
<MenuItem
  icon={<HelpCircle className="h-5 w-5" />}
  label="Hjelp og støtte"
  href="/support"
/>
</div>

```

Menu Item Component

```

<Link href={href} className="flex items-center justify-between px-5 py-4 hover:bg-[#F9FAFB]
transition-colors">
  <div className="flex items-center gap-3">
    <div className="text-[#6B7280]">{icon}</div>
    <span className="text-[15px] font-medium text-[#1A1A1A]">{label}</span>
  </div>
  <ChevronRight className="h-5 w-5 text-[#9CA3AF]" />

```

```
</Link>
```

Divider

```
<div className="h-px bg-[#E5E7EB] mx-5" />
```

Logout Button

```
<button
  onClick={handleLogout}
  className="w-full rounded-2xl bg-white border border-[#E5E7EB] p-4 shadow-sm hover:bg-
[#FEF2F2] transition-colors"
>
  <div className="flex items-center justify-center gap-2">
    <Logout className="h-5 w-5 text-[#EF4444]" />
    <span className="text-[15px] font-semibold text-[#EF4444]">Logg ut</span>
  </div>
</button>
```

Footer Text

```
<p className="text-center text-xs text-[#9CA3AF]">
  Drop v0.1.0 · ALAI Holding AS
</p>
```

Data Displayed

Data	Source	API
User full name	JWT / user profile	GET <code>/api/account</code>
User email	User profile	GET <code>/api/account</code>
User initials	Derived from full name	Client-side
App version	Build metadata	Static
Company name	Static	Static

User Interactions

Element	Action	Result
Back arrow	Click	Navigate back to previous page
Avatar	Click	Optional: navigate to profile edit page
"Mine kontoer"	Click	Navigate to <code>/accounts</code>
"Varsler"	Click	Navigate to <code>/notifications</code>
"Innstillinger"	Click	Navigate to <code>/settings</code> (app preferences)
"Sikkerhet"	Click	Navigate to <code>/security</code> (PIN, biometrics, 2FA)
"Hjelp og støtte"	Click	Navigate to <code>/support</code> (FAQs, contact)
"Logg ut" button	Click	Clear JWT cookie, redirect to <code>/login</code>
Bottom nav tabs	Click	Navigate to respective page

Norwegian Labels

Element	Norwegian Text
Page title	Profil
Bank accounts menu	Mine kontoer
Notifications menu	Varsler
Settings menu	Innstillinger
Security menu	Sikkerhet
Help menu	Hjelp og støtte
Logout button	Logg ut
Footer	Drop v0.1.0 · ALAI Holding AS

Design Tokens

Token	Value
Page bg	<code>#EEEEEE</code>
Card bg	<code>#FFFFFF</code>

Token	Value
Avatar bg	#D1E9DC (light green/mint)
Avatar text	#0B6E35
Primary	#0B6E35
Text primary	#1A1A1A
Text muted	#6B7280
Text light	#9CA3AF
Border	#E5E7EB
Danger	#EF4444
Danger hover bg	#FEF2F2
Hover bg	#F9F9FB
Brand font	font- [family-name:var(--font-fraunces)]
Card radius	rounded-2xl
Avatar radius	rounded-full
Avatar size	h-20 w-20
Menu item padding	px-5 py-4
Icon size	h-5 w-5

Bottom Navigation

Yes — "Profil" tab active (green, filled person icon). All other tabs inactive (gray, outline icons).

Page: Register

Page Spec: Register

Route

`/register`

Architecture Status

Core

Figma Reference

`onboarding.png`

Implementation Status

SPEC DOCUMENTS STEP 1 ONLY. The actual implementation has 4 steps:

1. **Personal Info** (documented below) — name, email, phone, DOB, password
2. **Phone Verification** (NOT DOCUMENTED) — OTP input
3. **PIN Setup** (NOT DOCUMENTED) — 4-digit PIN with number pad
4. **Success Screen** (NOT DOCUMENTED) — welcome message + navigate to dashboard

This spec covers ONLY step 1. Steps 2-4 need separate specs or this spec needs expansion.

Visual Description from Figma

The register page (called "Opprett konto" in Figma) has step 1 of 3:

- **Top section:** Drop logo (green rounded square with white \$ icon and gold dot top-right), "drop" wordmark in bold serif font, tagline "Enklere betalinger. Lavere gebyrer." in green italic text.

- **Progress indicator:** Three-segment horizontal bar below the tagline. First segment is filled dark green (active), other two segments are light gray. This indicates "step 1 of 3" in a multi-step registration.
- **Form card:** White rounded card containing the form with heading "Opprett konto" in bold.
- **Form fields (6 total):**
 1. **Fornavn** and **Etternavn** — side by side in a 2-column layout. Each has a user icon (person outline) on the left. Placeholders: "Amir" / "Hadzic".
 2. **E-postadresse** — full width, mail/envelope icon left. Placeholder: "amir@eksempel.no".
 3. **Telefonnummer** — full width, phone icon left. Placeholder shows "+47" prefix.
 4. **Fodselsdato** — full width, calendar icon left. Placeholder: "mm/dd/yyyy". Has a calendar picker icon on the right.
 5. **Passord** — full width, lock icon left. Placeholder: "Minst 8 tegn". Eye/visibility toggle icon on the right.
- **"Fortsett" button:** Full-width green button below the card (appears slightly muted green, not as saturated as the login button).
- **Bottom text:** "Har du allerede konto? Logg inn" — "Logg inn" is a green link.

Background is light gray (#EEEEEE). All input fields have light gray backgrounds with subtle borders.

Page Layout

```

Full-page centered (no bottom nav – auth page)
├─ Logo Section (centered)
|   └─ Drop icon (64x64)
|   └─ "drop" wordmark (Fraunces serif bold)
|   └─ Tagline italic green
├─ Progress Bar (3 steps)
|   └─ Step 1: filled green (active)
|   └─ Step 2: gray
|   └─ Step 3: gray
├─ Form Card (white rounded)
|   └─ "Opprett konto" heading
|   └─ Row: Fornavn | Etternavn (2-col)
|   └─ E-postadresse input
|   └─ Telefonnummer input (+47)
|   └─ Fodselsdato input (date picker)
|   └─ Passord input (toggle visibility)
├─ "Fortsett" button (full width, outside card)

```

└─ "Har du allerede konto? Logg inn" link

Components

Logo Block

```
<div className="flex flex-col items-center space-y-2">
  <Image src="/drop-icon.png" alt="Drop" width={64} height={64} />
  <h1 className="font-[family-name:var(--font-fraunces)] text-3xl font-bold text-
[#1A1A1A]">drop</h1>
  <p className="text-sm italic text-[#0B6E35]">Enklere betalinger. Lavere gebyrer.</p>
</div>
```

Progress Bar (3-step)

```
<div className="flex gap-2">
  <div className="h-1 flex-1 rounded-full bg-[#0B6E35]" /> { /* active */}
  <div className="h-1 flex-1 rounded-full bg-[#E5E7EB]" /> { /* inactive */}
  <div className="h-1 flex-1 rounded-full bg-[#E5E7EB]" /> { /* inactive */}
</div>
```

Form Card

```
<div className="rounded-2xl bg-white p-6 shadow-sm">
  <h2 className="mb-4 text-xl font-bold text-[#1A1A1A]">Opprett konto</h2>
  { /* form fields */}
</div>
```

Name Fields (2-column)

```
<div className="grid grid-cols-2 gap-3">
  <div>
    <label className="mb-1.5 block text-sm font-medium text-[#1A1A1A]">Fornavn</label>
    <div className="relative">
      <User className="absolute left-3 top-1/2 h-4 w-4 -translate-y-1/2 text-[#6B7280]" />
      <input className="h-11 w-full rounded-lg border border-[#E5E7EB] bg-[#F9FAFB] pl-10 pr-3
```

```

text-sm" placeholder="Amir" />
  </div>
</div>
<div>
  <label className="mb-1.5 block text-sm font-medium text-[#1A1A1A]">Etternavn</label>
  <div className="relative">
    <User className="absolute left-3 top-1/2 h-4 w-4 -translate-y-1/2 text-[#6B7280]" />
    <input className="h-11 w-full rounded-lg border border-[#E5E7EB] bg-[#F9FAFB] pl-10 pr-3
text-sm" placeholder="Hadzic" />
  </div>
</div>
</div>

```

Standard Input (email, phone, DOB, password)

```

<div>
  <label className="mb-1.5 block text-sm font-medium text-[#1A1A1A]">{label}</label>
  <div className="relative">
    <Icon className="absolute left-3 top-1/2 h-4 w-4 -translate-y-1/2 text-[#6B7280]" />
    <input className="h-11 w-full rounded-lg border border-[#E5E7EB] bg-[#F9FAFB] pl-10 pr-3
text-sm outline-none transition-colors focus:border-[#0B6E35] focus:ring-1 focus:ring-
[#0B6E35]" />
  </div>
</div>

```

Password Input (with eye toggle)

```

<div className="relative">
  <Lock className="absolute left-3 top-1/2 h-4 w-4 -translate-y-1/2 text-[#6B7280]" />
  <input type={showPassword ? "text" : "password"} className="h-11 w-full rounded-lg border
border-[#E5E7EB] bg-[#F9FAFB] pl-10 pr-10 text-sm" placeholder="Minst 8 tegn" />
  <button className="absolute right-3 top-1/2 -translate-y-1/2">
    <Eye className="h-4 w-4 text-[#9CA3AF]" />
  </button>
</div>

```

Submit Button

```
<Button className="h-12 w-full rounded-xl bg-[#0B6E35] text-white text-sm font-semibold
hover:bg-[#095C2C] transition-colors">
  Fortsett
</Button>
```

Error Message

```
<p className="text-sm text-[#EF4444] bg-[#EF4444]/10 rounded-md p-2">{error}</p>
```

Data Displayed

- Static form (no pre-loaded data)
- On submit: POST `/api/auth/register` with form data

User Interactions

Element	Action	Result
Fornavn input	Type	Captures first name
Etternavn input	Type	Captures last name
E-postadresse input	Type	Captures email
Telefonnummer input	Type	Captures phone (+47 prefix)
Fodselsdato input	Click/type	Opens date picker, captures DOB
Passord input	Type	Captures password (min 8 chars)
Eye icon	Click	Toggle password visibility
"Fortsett" button	Click	Validate all fields, POST <code>/api/auth/register</code> , on success navigate to <code>/login</code>
"Logg inn" link	Click	Navigate to <code>/login</code>

Validation Rules

Field	Rule	Error Message
Fornavn	Required, min 2 chars	Fornavn er paakrevd
Etternavn	Required, min 2 chars	Etternavn er paakrevd

Field	Rule	Error Message
E-postadresse	Required, valid email format	Ugyldig e-postadresse
Telefonnummer	Required, starts with +47, 8 digits	Ugyldig telefonnummer
Fodselsdato	Required, age >= 18	Du ma vaere minst 18 ar
Passord	Required, min 8 chars	Passordet ma vaere minst 8 tegn

Norwegian Labels

Element	Norwegian Text
Page heading	Opprett konto
First name label	Fornavn
Last name label	Etternavn
Email label	E-postadresse
Email placeholder	amir@eksempel.no
Phone label	Telefonnummer
Phone placeholder	+47
DOB label	Fodselsdato
DOB placeholder	mm/dd/yyyy
Password label	Passord
Password placeholder	Minst 8 tegn
Submit button	Fortsett
Login prompt	Har du allerede konto?
Login link	Logg inn

Design Tokens

Token	Value
Page bg	#EEEEEE
Card bg	#FFFFFF
Input bg	#F9F9FB
Primary	#0B6E35

Token	Value
Primary hover	#095C2C
Border	#E5E7EB
Progress active	#0B6E35
Progress inactive	#E5E7EB
Text primary	#1A1A1A
Text muted	#6B7280
Text light	#9CA3AF
Error	#EF4444
Card radius	rounded-2xl
Input radius	rounded-lg
Button radius	rounded-xl
Input height	h-11
Button height	h-12

Bottom Navigation

No — this is an auth page, no bottom nav.

Page: Scan

Page Spec: Scan QR

Route

/scan

Architecture Status

Core

Figma Reference

scan.png

Visual Description from Figma

The scan page is a full-screen dark camera-style view for QR code scanning:

- **Top bar:** Left side has a white back arrow (←). Center has "Scan QR" in white bold text. No right-side elements.
- **Camera viewport:** Full-screen dark background (#1A1A1A or near-black) simulating a camera feed.
- **Scanner viewfinder:** Large centered square/rectangle with:
 - Dashed gray border (#6B7280 approx) forming the full perimeter
 - Four green corner brackets (thick, #0B6E35) at each corner — top-left, top-right, bottom-left, bottom-right
 - A horizontal green scanning line across the middle of the viewfinder (animated or static)
- **Instruction text:** Near the bottom, white/light text: "Pek kameraet mot butikkens QR-kode" — muted, centered.
- **Simulate button:** Full-width green button at the very bottom: "Simuler skanning" — dark green background (#0B6E35), white text, rounded corners. This is a demo-only button for

simulating a QR scan without a real camera.

- **No bottom navigation** — this is a full-screen overlay/modal page.

Page Layout

Full-screen dark (no bottom nav – camera overlay)

- ├─ Top Bar (over dark bg)
 - | ├─ Left: Back arrow (white)
 - | └─ Center: "Scan QR" title (white, bold)
- ├─ Camera Viewport (dark bg, full screen)
 - | └─ Scanner Viewfinder (centered)
 - | ├─ Dashed border (gray)
 - | ├─ Green corner brackets (4 corners)
 - | └─ Green scan line (horizontal, centered)
- ├─ Instruction Text
 - | └─ "Pek kameraet mot butikkens QR-kode"
- └─ Simulate Button (demo only)
 - └─ "Simuler skanning" (green, full width)

Components

Top Bar

```
<div className="flex items-center justify-between px-6 pt-6">
  <button onClick={() => router.back()} className="rounded-lg p-2 hover:bg-white/10">
    <ArrowLeft className="h-5 w-5 text-white" />
  </button>
  <h1 className="text-lg font-bold text-white">Scan QR</h1>
  <div className="w-9" /> { /* spacer for centering */ }
</div>
```

Scanner Viewfinder

```
<div className="relative mx-auto aspect-square w-[75%] max-w-[320px]">
  { /* Dashed border */ }
  <div className="absolute inset-0 rounded-2xl border-2 border-dashed border-[#6B7280]" />
```

```

    { /* Green corner brackets – top-left */}
    <div className="absolute left-0 top-0 h-10 w-10 rounded-tl-2xl border-l-4 border-t-4 border-
[#0B6E35]" />
    { /* Green corner brackets – top-right */}
    <div className="absolute right-0 top-0 h-10 w-10 rounded-tr-2xl border-r-4 border-t-4
border-[#0B6E35]" />
    { /* Green corner brackets – bottom-left */}
    <div className="absolute bottom-0 left-0 h-10 w-10 rounded-bl-2xl border-b-4 border-l-4
border-[#0B6E35]" />
    { /* Green corner brackets – bottom-right */}
    <div className="absolute bottom-0 right-0 h-10 w-10 rounded-br-2xl border-b-4 border-r-4
border-[#0B6E35]" />

    { /* Scan line (centered horizontal) */}
    <div className="absolute left-4 right-4 top-1/2 h-0.5 -translate-y-1/2 bg-[#0B6E35]" />
</div>

```

Instruction Text

```

<p className="text-center text-sm text-[#9CA3AF]">
  Pek kameraet mot butikkens QR-kode
</p>

```

Simulate Button (Demo Only)

```

<button
  onClick={handleSimulateScan}
  className="mx-6 mb-8 h-12 w-[calc(100%-48px)] rounded-xl bg-[#0B6E35] text-sm font-semibold
text-white transition-colors hover:bg-[#095C2C]"
>
  Simuler skanning
</button>

```

Data Displayed

Data	Source	API
None pre-loaded	—	—
On scan success	QR payload (merchant ID, amount)	POST <code>/api/transactions</code> (type: <code>qr_payment</code>)

User Interactions

Element	Action	Result
Back arrow	Click	Navigate back (<code>router.back()</code>)
Camera viewfinder	Scan QR code	Parse QR payload → navigate to payment confirmation
"Simuler skanning" button	Click	Simulate QR scan with mock merchant data → navigate to payment confirmation

QR Scan Flow (Demo)

1. User taps "Simuler skanning"
2. App generates mock QR payload: `{ merchantId: "REMA1000-001", merchantName: "Rema 1000", amount: 189 }`
3. Navigate to confirmation screen (inline or modal) showing merchant name + amount
4. User confirms → POST `/api/transactions` with type `qr_payment`, PISP initiates payment from linked bank account
5. On success → redirect to `/dashboard` with success toast

QR Scan Flow (Production — Future)

1. Camera activates, user points at merchant QR code
2. QR library decodes payload (merchant ID, amount, reference)
3. Same confirmation + PISP flow as above

Norwegian Labels

Element	Norwegian Text
Page title	Scan QR
Instruction	Pek kameraet mot butikkens QR-kode
Simulate button	Simuler skanning

Element	Norwegian Text
Confirm prompt	Bekreft betaling
Merchant label	Butikk
Amount label	Belop
Pay button	Betal nå
Cancel button	Avbryt
Success toast	Betaling fullfort!
Error toast	Betaling feilet. Prov igjen.

Design Tokens

Token	Value
Page bg	#1A1A1A (dark/camera)
Viewfinder border	border-dashed border-[#6B7280]
Corner brackets	border-[#0B6E35] (4px)
Scan line	bg-[#0B6E35]
Primary	#0B6E35
Primary hover	#095C2C
Text white	#FFFFFF
Text muted (on dark)	#9CA3AF
Button radius	rounded-xl
Viewfinder radius	rounded-2xl
Button height	h-12

Bottom Navigation

No — this is a full-screen camera overlay, no bottom nav.

Page: Send

Page Spec: Send Money

Route

/send

Architecture Status

Core

Implementation Status

SPEC DOCUMENTS STEP 1 ONLY. The actual implementation has a 4-step flow:

1. **Select Recipient** (documented below) — search recipients, add new
2. **Enter Amount** (NOT DOCUMENTED) — amount input + exchange rate display
3. **Confirm** (NOT DOCUMENTED) — review transfer details, fee breakdown
4. **Success** (NOT DOCUMENTED) — confirmation screen + receipt

This spec covers ONLY step 1. Steps 2-4 need separate specs or this spec needs expansion.

Figma Reference

send.png

Visual Description from Figma

The Send Money page is the first step in the money transfer flow:

- **Top bar:** Left side has a back arrow (thin left arrow) icon in muted gray. Center has "Send pender" heading in bold sans-serif font. Below the heading, centered, is "1/4" step indicator in muted text.

- **Background:** Light gray (`#EEEEEE`).
- **Search input:** Large white rounded input field with:
 - Magnifying glass icon on the left (gray)
 - Placeholder text "Søk mottakere..." in gray
 - Full width with rounded corners
- **Empty state message:** Centered text below search input:
 - "Ingen mottakere funnet" in muted gray text (`#6B7280`)
 - Indicates no recipients have been added yet
- **Add recipient button:** White rounded button at bottom of content area:
 - "+" icon on left in dark color
 - "Ny mottaker" text in dark color
 - Full width, white rounded, no visible border (contrast against gray bg)
 - Positioned well above bottom navigation
- **Bottom navigation:** Visible but all tabs inactive (no green highlight).

The page has a clean, minimal design with large touch targets and plenty of whitespace.

Page Layout

```

App page WITH bottom nav
├─ Top Bar
|   ├─ Left: Back arrow (chevron)
|   └─ Center: "Send penger" heading
|   └─ Right: "1/4" step indicator
├─ Content Area (light gray bg)
|   ├─ Search Input
|   |   ├─ Search icon (left)
|   |   └─ "Søk mottakere..." placeholder
|   └─ Empty State
|       └─ "Ingen mottakere funnet" message
└─ Add Recipient Button
    └─ "+" icon
        └─ "Ny mottaker" label
└─ Bottom Nav (all tabs inactive)

```

Components

Top Bar

```

<div className="flex items-center justify-between px-6 pt-6 pb-4">
  <button onClick={() => router.back()} className="rounded-lg p-2 hover:bg-white/80">
    <ChevronLeft className="h-6 w-6 text-[#1A1A1A]" />
  </button>
  <h1 className="font-[family-name:var(--font-fraunces)] text-xl font-bold text-
[#1A1A1A]">Send penger</h1>
  <span className="text-sm text-[#6B7280]">1/4</span>
</div>

```

Search Input

```

<div className="relative">
  <Search className="absolute left-4 top-1/2 h-5 w-5 -translate-y-1/2 text-[#9CA3AF]" />
  <input
    type="text"
    placeholder="Søk mottakere..."
    className="h-14 w-full rounded-2xl border border-[#E5E7EB] bg-white pl-12 pr-4 text-
[#1A1A1A] placeholder:text-[#9CA3AF] focus:border-[#0B6E35] focus:outline-none focus:ring-2
focus:ring-[#0B6E35]/20"
    value={searchQuery}
    onChange={(e) => setSearchQuery(e.target.value)}
  />
</div>

```

Empty State

```

<div className="py-12 text-center">
  <p className="text-sm text-[#6B7280]">Ingen mottakere funnet</p>
</div>

```

Add Recipient Button

```

<button
  onClick={() => router.push('/send/add-recipient')}
  className="flex h-14 w-full items-center justify-center gap-2 rounded-2xl border border-
[#E5E7EB] bg-white text-sm font-medium text-[#1A1A1A] transition-colors hover:bg-[#F9F9FB]"
  >

```

```
<Plus className="h-5 w-5" />
Ny mottaker
</button>
```

Recipient List (when populated)

```
<div className="space-y-3">
  {recipients.map((recipient) => (
    <button
      key={recipient.id}
      onClick={() => handleSelectRecipient(recipient)}
      className="flex w-full items-center justify-between rounded-2xl bg-white p-4 text-left
transition-colors hover:bg-[#F9FAFB]"
    >
      <div className="flex items-center gap-3">
        <div className="flex h-10 w-10 items-center justify-center rounded-full bg-
[#0B6E35]/10">
          <User className="h-5 w-5 text-[#0B6E35]" />
        </div>
        <div>
          <p className="text-sm font-semibold text-[#1A1A1A]">{recipient.name}</p>
          <p className="text-xs text-[#6B7280]">{recipient.country} •
{recipient.accountNumber}</p>
        </div>
      </div>
      <ChevronRight className="h-5 w-5 text-[#9CA3AF]" />
    </button>
  ))}
</div>
```

Data Displayed

Data	Source	API
Saved recipients	User's recipient list	GET <code>/api/recipients</code>
Search results	Filtered recipient list	Client-side filtering
Step indicator	Flow state	Static (1/4)

User Interactions

Element	Action	Result
Back arrow	Click	Navigate back to previous page (dashboard)
Search input	Type	Filter recipient list in real-time
Add recipient button	Click	Navigate to <code>/send/add-recipient</code> (step 2)
Recipient card	Click	Select recipient, navigate to amount input (step 3)
Bottom nav tabs	Click	Navigate to respective page (exits send flow)

Norwegian Labels

Element	Norwegian Text
Page title	Send penger
Step indicator	1/4
Search placeholder	Søk mottakere...
Empty state	Ingen mottakere funnet
Add recipient button	Ny mottaker

Design Tokens

Token	Value
Page bg	<code>#EEEEEE</code>
Card bg	<code>#FFFFFF</code>
Input bg	<code>#FFFFFF</code>
Primary	<code>#0B6E35</code>
Primary hover	<code>#095C2C</code>
Text primary	<code>#1A1A1A</code>
Text muted	<code>#6B7280</code>
Text light	<code>#9CA3AF</code>

Token	Value
Border	#E5E7EB
Brand font	font- [family-name:var(--font-fraunces)]
Card radius	rounded-2xl
Button radius	rounded-2xl
Input radius	rounded-2xl
Avatar/Icon circle	rounded-full
Icon circle bg	#0B6E35]/10 (10% opacity green)

Bottom Navigation

Yes — All tabs inactive (gray, outline icons). User is in the send flow but not on a main tab page.

Flow Context

This is **step 1 of 4** in the send money flow:

1. **Select Recipient** (this page) — choose from saved recipients or add new
2. **Add Recipient** — enter recipient details (name, country, account)
3. **Enter Amount** — specify amount and currency
4. **Review & Confirm** — review details, initiate PISP payment from user's bank account

Pass-through model reminder: Drop initiates payment via PISP from user's linked bank account. No money is held by Drop.

Page: Transactions

Page Spec: Transaction History

Route

`/transactions`

Architecture Status

Core

Figma Reference

`history.png`

Visual Description from Figma

The transaction history page shows a complete list of all transactions with filtering:

- **Top bar:** Left side has a back arrow (ArrowLeft, NOT chevron). Center has "Transaksjonshistorikk" heading in bold **sans-serif** (NOT serif). No right-side icons.
- **Filter tabs row:** Three pill-shaped tabs using Tabs/TabsList/TabsTrigger components:
 - **"Alle"** — filter="all", active tab with dark green background (#0B6E35), white text
 - **"Overføringer"** — filter="remittance" (NOT "Overforinger"), inactive gray
 - **"QR-betalinger"** — filter="qr_payment", inactive gray
- **Date-based grouping:** Transactions grouped by labels:
 - **"I dag"** — transactions from today
 - **"I går"** — transactions from yesterday
 - **"Denne uken"** — transactions within last 7 days (NOT "DENNE UKEN" in uppercase)
 - **"Eldre"** — older transactions (NOT in original Figma, but implemented)
- **Transaction cards:** Each card shows:
 - Icon (ArrowUpRight for remittance in green, QrCode for QR payment in gold #D4A017)
 - Recipient name or "Betaling"

- Type label: "Overføring" or "QR-betaling"
- Amount with Norwegian number formatting (space as thousand separator)
- Status badge: "fullført" (green), "behandler" (orange), "feilet" (red)
- **Bottom navigation:** 5 tabs — **ALL INACTIVE** (no active tab shown on this page, contrary to Figma which shows Kort active).

Background is light gray (#EEEEEE). Large empty space below transactions. All cards are white with rounded corners (#FFFFFF, rounded-2xl).

Page Layout

App page WITH bottom nav

- └─ Top Bar
 - | └─ Left: Back arrow (chevron left)
 - | └─ Center: "Transaksjonshistorikk" heading
- └─ Filter Tabs Row (white rounded container)
 - | └─ "Alle" (active, green bg)
 - | └─ "Overforinger" (inactive, white bg)
 - | └─ "QR-betalinger" (inactive, white bg)
- └─ Transaction List (grouped by date)
 - | └─ Date Separator: "I GAR" (uppercase, muted)
 - | └─ Transaction cards (yesterday's transactions)
 - | └─ Date Separator: "DENNE UKEN" (uppercase, muted)
 - | └─ Transaction cards (this week's transactions)
- └─ Bottom Nav (Kort tab active/highlighted)

Components

Top Bar

```
<div className="flex items-center justify-center px-6 pt-6 relative">
  <button onClick={() => router.back()} className="absolute left-6 rounded-lg p-2 hover:bg-white/80">
    <ChevronLeft className="h-6 w-6 text-[#1A1A1A]" />
  </button>
  <h1 className="font-[family-name:var(--font-fraunces)] text-xl font-bold text-[#1A1A1A]">
    Transaksjonshistorikk
  </h1>
</div>
```

```
</h1>
</div>
```

Filter Tabs Row

```
<div className="flex gap-2 rounded-2xl bg-white p-1.5 shadow-sm">
  <button
    onClick={() => setFilter('all')}
    className={`flex-1 rounded-full px-4 py-2 text-sm font-semibold transition-colors ${
      filter === 'all'
        ? 'bg-[#0B6E35] text-white'
        : 'bg-white text-[#6B7280] hover:bg-[#F9FAFB]'
    }`}
  >
    Alle
  </button>
  <button
    onClick={() => setFilter('transfers')}
    className={`flex-1 rounded-full px-4 py-2 text-sm font-semibold transition-colors ${
      filter === 'transfers'
        ? 'bg-[#0B6E35] text-white'
        : 'bg-white text-[#6B7280] hover:bg-[#F9FAFB]'
    }`}
  >
    Overforinger
  </button>
  <button
    onClick={() => setFilter('qr')}
    className={`flex-1 rounded-full px-4 py-2 text-sm font-semibold transition-colors ${
      filter === 'qr'
        ? 'bg-[#0B6E35] text-white'
        : 'bg-white text-[#6B7280] hover:bg-[#F9FAFB]'
    }`}
  >
    QR-betalinger
  </button>
</div>
```

Date Separator

```

<div className="px-6 pt-4 pb-2">
  <p className="text-xs font-semibold uppercase tracking-wider text-[#9CA3AF]">
    {dateLabel}
  </p>
</div>

```

Transaction Card

```

<div className="flex items-center justify-between rounded-2xl bg-white p-4 shadow-sm">
  <div className="flex items-center gap-3">
    <div className={`flex h-10 w-10 items-center justify-center rounded-full ${
      type === 'transfer' ? 'bg-[#0B6E35]/10' : 'bg-[#D4A017]/10'
    }`} >
      {type === 'transfer'
        ? <Send className="h-5 w-5 text-[#0B6E35]" />
        : <QrCode className="h-5 w-5 text-[#D4A017]" />
      }
    </div>
    <div>
      <p className="text-sm font-semibold text-[#1A1A1A]">{counterparty}</p>
      <p className="text-xs text-[#6B7280]">{typeLabel}</p>
    </div>
  </div>
  <div className="text-right">
    <p className="text-sm font-semibold text-[#1A1A1A]">{formattedAmount} NOK</p>
    <span className={`rounded-full px-2 py-0.5 text-xs font-medium ${statusClasses}`} >
      {statusLabel}
    </span>
  </div>
</div>

```

Status Badges

Status	Label	Classes
completed	fullfort	bg-[#16A34A]/10 text-[#16A34A]
pending	behandler	bg-[#D97706]/10 text-[#D97706]
failed	feilet	bg-[#EF4444]/10 text-[#EF4444]

Data Displayed

Data	Source	API
All transactions	Transaction history, filtered by selected tab	GET <code>/api/transactions?filter={all transfers qr}</code>
Transaction counterparty	Transaction record	From transactions table
Transaction type	Transaction record	transfer / qr_payment
Transaction amount	Transaction record	Negative for outgoing
Transaction status	Transaction record	completed / pending / failed
Transaction date	Transaction record	For grouping by date separator

User Interactions

Element	Action	Result
Back arrow	Click	Navigate back to previous page (dashboard)
"Alle" tab	Click	Show all transactions (no filter)
"Overforinger" tab	Click	Filter to show only transfer transactions
"QR-betalinger" tab	Click	Filter to show only QR payment transactions
Transaction card	Click	Navigate to transaction detail page (optional)
Bottom nav tabs	Click	Navigate to respective page

Norwegian Labels

Element	Norwegian Text
Page heading	Transaksjonshistorikk
Filter: All	Alle
Filter: Transfers	Overforinger
Filter: QR Payments	QR-betalinger
Date separator: Yesterday	I GAR

Element	Norwegian Text
Date separator: This week	DENNE UKEN
Date separator: This month	DENNE MANEDEN
Date separator: Earlier	TIDLIGERE
Transaction type: Transfer	Overføring
Transaction type: QR Payment	QR-betaling
Status: completed	fullfort
Status: pending	behandler
Status: failed	feilet

Design Tokens

Token	Value
Page bg	#EEEEEE
Card bg	#FFFFFF
Primary	#0B6E35
Primary hover	#095C2C
Accent/Gold	#D4A017
Text primary	#1A1A1A
Text muted	#6B7280
Text light	#9CA3AF
Border	#E5E7EB
Success	#16A34A
Warning	#D97706
Error	#EF4444
Brand font	font- [family-name:var(--font-fraunces)]
Card radius	rounded-2xl
Button radius	rounded-xl
Pill radius	rounded-full
Icon circle radius	rounded-full

Bottom Navigation

Yes — "Kort" tab appears active/highlighted (based on Figma). All other tabs inactive (gray, outline icons).