

Page: Notifications

Page Spec: Notifications

Route

`/notifications`

Architecture Status

Core

Figma Reference

No Figma — designed from architecture

Visual Description

The notifications page displays transaction alerts, system messages, and payment confirmations:

- **Top bar:** Left side has a back arrow (ArrowLeft, NOT chevron). "Varsler" heading in bold **sans-serif** (NOT serif). No right-side icons.
- **Notification list:** Vertically stacked notification cards, each in its own white rounded card:
 - **Unread notifications:** Bold title text with a green dot indicator (left edge)
 - **Read notifications:** Regular title text without indicator
 - Each card contains:
 - **Icon:** Type-based icon in colored circle (green for transfers, yellow for QR payments, blue for system messages)
 - **Title:** Bold notification heading
 - **Description:** Muted text with details
 - **Timestamp:** Muted text showing relative time ("2 timer siden", "I går 14:30")
- **Empty state:** When no notifications exist:
 - Large bell icon with slash (gray, centered)

- "Ingen varsler" heading
- "Du vil motta varsler om transaksjoner og viktige meldinger her" description text
- **Bottom navigation:** 5 tabs — Hjem (house outline, gray), Send (paper plane outline, gray), Skann (QR outline, gray), Kort (card outline, gray), Profil (person outline, gray). No tab highlighted as active.

Background is light gray (#EEEEEE). All cards are white with rounded corners (#FFFFFF, rounded-2xl). Unread notifications appear at the top.

Page Layout

App page WITH bottom nav

```

└─ Top Bar
  └─ Left: Back arrow (chevron left)
  └─ Center: "Varsler" heading
└─ Notification List (or Empty State)
  └─ Notification cards (sorted by date, unread first)
    └─ Unread indicator (green dot)
    └─ Icon (type-based color)
    └─ Title (bold if unread)
    └─ Description (muted text)
    └─ Timestamp (relative time)
└─ Bottom Nav (no active tab)
  
```

Components

Top Bar

```

<div className="flex items-center gap-3 px-6 pt-6">
  <Link href="/dashboard">
    <button className="rounded-lg p-2 hover:bg-white/80">
      <ArrowLeft className="h-5 w-5 text-[#6B7280]" />
    </button>
  </Link>
  <h1 className="text-xl font-bold text-[#1A1A1A]">
    Varsler
  </h1>
  
```

```
</div>
```

Notification Card (Unread)

```
<div
  onClick={() => markAsRead(notification.id)}
  className="relative flex items-start gap-3 rounded-2xl bg-white p-4 shadow-sm cursor-pointer
  hover:bg-[#F9FAFB] transition-colors"
>
  {/* Unread indicator dot */}
  <div className="absolute left-0 top-1/2 -translate-y-1/2 h-2 w-2 rounded-full bg-[#0B6E35]"
  />

  {/* Icon */}
  <div className={`flex h-10 w-10 items-center justify-center rounded-full ${iconBgColor}`}>
    {getNotificationIcon(notification.type)}
  </div>

  {/* Content */}
  <div className="flex-1">
    <p className="text-sm font-bold text-[#1A1A1A]">{notification.title}</p>
    <p className="text-xs text-[#6B7280] mt-0.5">{notification.description}</p>
    <p className="text-xs text-[#9CA3AF] mt-1">{formatTimestamp(notification.created_at)}</p>
  </div>
</div>
```

Notification Card (Read)

```
<div
  className="flex items-start gap-3 rounded-2xl bg-white p-4 shadow-sm"
>
  {/* Icon */}
  <div className={`flex h-10 w-10 items-center justify-center rounded-full ${iconBgColor}`}>
    {getNotificationIcon(notification.type)}
  </div>

  {/* Content */}
  <div className="flex-1">
```

```
<p className="text-sm font-semibold text-[#1A1A1A]">{notification.title}</p>
<p className="text-xs text-[#6B7280] mt-0.5">{notification.description}</p>
<p className="text-xs text-[#9CA3AF] mt-1">{formatTimestamp(notification.created_at)}</p>
</div>
</div>
```

Empty State

```
<div className="flex flex-col items-center justify-center px-6 py-16">
  <div className="flex h-16 w-16 items-center justify-center rounded-full bg-[#E5E7EB]">
    <BellOff className="h-8 w-8 text-[#9CA3AF]" />
  </div>
  <p className="mt-4 text-lg font-bold text-[#1A1A1A]">Ingen varsler</p>
  <p className="mt-2 text-center text-sm text-[#6B7280] max-w-xs">
    Du vil motta varsler om transaksjoner og viktige meldinger her
  </p>
</div>
```

Notification Icon Logic

```
function getNotificationIcon(type: string) {
  switch (type) {
    case 'transaction_sent':
    case 'transaction_received':
      return <Send className="h-5 w-5 text-[#0B6E35]" />;
    case 'qr_payment':
      return <QrCode className="h-5 w-5 text-[#D4A017]" />;
    case 'system_message':
    case 'account_linked':
    case 'security_alert':
      return <AlertCircle className="h-5 w-5 text-[#3B82F6]" />;
    default:
      return <Bell className="h-5 w-5 text-[#6B7280]" />;
  }
}

function getIconBgColor(type: string) {
  switch (type) {
```

```

    case 'transaction_sent':
    case 'transaction_received':
        return 'bg-[#0B6E35]/10';
    case 'qr_payment':
        return 'bg-[#D4A017]/10';
    case 'system_message':
    case 'account_linked':
    case 'security_alert':
        return 'bg-[#3B82F6]/10';
    default:
        return 'bg-[#E5E7EB]';
  }
}

```

Timestamp Formatter

```

function formatTimestamp(timestamp: string): string {
  const now = new Date();
  const then = new Date(timestamp);
  const diffMs = now.getTime() - then.getTime();
  const diffMins = Math.floor(diffMs / 60000);
  const diffHours = Math.floor(diffMs / 3600000);
  const diffDays = Math.floor(diffMs / 86400000);

  if (diffMins < 1) return 'Akkurat nå';
  if (diffMins < 60) return `${diffMins} ${diffMins === 1 ? 'minutt' : 'minutter'} siden`;
  if (diffHours < 24) return `${diffHours} ${diffHours === 1 ? 'time' : 'timer'} siden`;
  if (diffDays === 1) return `I går ${then.toLocaleTimeString('nb-NO', { hour: '2-digit',
minute: '2-digit' })}`;
  if (diffDays < 7) return `${diffDays} dager siden`;

  return then.toLocaleDateString('nb-NO', { day: 'numeric', month: 'short', hour: '2-digit',
minute: '2-digit' });
}

```

Data Displayed

Data	Source	API
Notification list	Notifications table	GET <code>/api/notifications</code>
Notification title	Notification record	From notifications table
Notification description	Notification record	From notifications table
Notification type	Notification record	transaction_sent / transaction_received / qr_payment / system_message / account_linked / security_alert
Notification read status	Notification record	is_read boolean
Notification timestamp	Notification record	created_at

User Interactions

Element	Action	Result
Back arrow	Click	Navigate back to previous page (dashboard)
Unread notification card	Click	Mark notification as read, update UI to show read state
Read notification card	Click	Optional — navigate to related resource (e.g., transaction detail)
Bottom nav tabs	Click	Navigate to respective page

Norwegian Labels

Element	Norwegian Text
Page heading	Varsler
Empty state heading	Ingen varsler
Empty state description	Du vil motta varsler om transaksjoner og viktige meldinger her
Timestamp: Now	Akkurat nå
Timestamp: Minutes	{n} minutt siden / {n} minutter siden
Timestamp: Hours	{n} time siden / {n} timer siden
Timestamp: Yesterday	I går {time}
Timestamp: Days	{n} dager siden

Element	Norwegian Text
Notification: Transaction sent	Overføring sendt
Notification: Transaction received	Penger mottatt
Notification: QR Payment	QR-betaling fullført
Notification: System message	Systemmelding
Notification: Account linked	Bankkonto tilkoblet
Notification: Security alert	Sikkerhetsvarsel

Design Tokens

Token	Value
Page bg	#EEEEEE
Card bg	#FFFFFF
Primary	#0B6E35
Primary hover	#095C2C
Accent/Gold	#D4A017
Info blue	#3B82F6
Text primary	#1A1A1A
Text muted	#6B7280
Text light	#9CA3AF
Border	#E5E7EB
Unread indicator	#0B6E35 (green dot)
Brand font	font- [family-name:var(--font-fraunces)]
Card radius	rounded-2xl
Icon circle radius	rounded-full
Hover bg	#F9FAFB

Bottom Navigation

Yes — No tab active (all tabs gray, outline icons).

Revision #6

Created 2026-02-23 11:29:04 UTC by John

Updated 2026-05-25 07:25:20 UTC by John