

Page: Transactions

Page Spec: Transaction History

Route

`/transactions`

Architecture Status

Core

Figma Reference

`history.png`

Visual Description from Figma

The transaction history page shows a complete list of all transactions with filtering:

- **Top bar:** Left side has a back arrow (ArrowLeft, NOT chevron). Center has "Transaksjonshistorikk" heading in bold **sans-serif** (NOT serif). No right-side icons.
- **Filter tabs row:** Three pill-shaped tabs using Tabs/TabsList/TabsTrigger components:
 - **"Alle"** — filter="all", active tab with dark green background (#0B6E35), white text
 - **"Overføringer"** — filter="remittance" (NOT "Overforinger"), inactive gray
 - **"QR-betalinger"** — filter="qr_payment", inactive gray
- **Date-based grouping:** Transactions grouped by labels:
 - **"I dag"** — transactions from today
 - **"I går"** — transactions from yesterday
 - **"Denne uken"** — transactions within last 7 days (NOT "DENNE UKEN" in uppercase)
 - **"Eldre"** — older transactions (NOT in original Figma, but implemented)
- **Transaction cards:** Each card shows:
 - Icon (ArrowUpRight for remittance in green, QrCode for QR payment in gold #D4A017)

- Recipient name or "Betaling"
- Type label: "Overføring" or "QR-betaling"
- Amount with Norwegian number formatting (space as thousand separator)
- Status badge: "fullført" (green), "behandler" (orange), "feilet" (red)
- **Bottom navigation:** 5 tabs — **ALL INACTIVE** (no active tab shown on this page, contrary to Figma which shows Kort active).

Background is light gray (#EEEEEE). Large empty space below transactions. All cards are white with rounded corners (#FFFFFF, rounded-2xl).

Page Layout

App page WITH bottom nav

- └─ Top Bar
 - | └─ Left: Back arrow (chevron left)
 - | └─ Center: "Transaksjonshistorikk" heading
- └─ Filter Tabs Row (white rounded container)
 - | └─ "Alle" (active, green bg)
 - | └─ "Overforinger" (inactive, white bg)
 - | └─ "QR-betalinger" (inactive, white bg)
- └─ Transaction List (grouped by date)
 - | └─ Date Separator: "I GAR" (uppercase, muted)
 - | └─ Transaction cards (yesterday's transactions)
 - | └─ Date Separator: "DENNE UKEN" (uppercase, muted)
 - | └─ Transaction cards (this week's transactions)
- └─ Bottom Nav (Kort tab active/highlighted)

Components

Top Bar

```
<div className="flex items-center justify-center px-6 pt-6 relative">
  <button onClick={() => router.back()} className="absolute left-6 rounded-lg p-2 hover:bg-white/80">
    <ChevronLeft className="h-6 w-6 text-[#1A1A1A]" />
  </button>
  <h1 className="font-[family-name:var(--font-fraunces)] text-xl font-bold text-[#1A1A1A]">
```

Transaksjonshistorikk

</h1>

</div>

Filter Tabs Row

```
<div className="flex gap-2 rounded-2xl bg-white p-1.5 shadow-sm">
  <button
    onClick={() => setFilter('all')}
    className={`flex-1 rounded-full px-4 py-2 text-sm font-semibold transition-colors ${
      filter === 'all'
        ? 'bg-[#0B6E35] text-white'
        : 'bg-white text-[#6B7280] hover:bg-[#F9FAFB]'
    }`}
  >
    Alle
</button>
<button
  onClick={() => setFilter('transfers')}
  className={`flex-1 rounded-full px-4 py-2 text-sm font-semibold transition-colors ${
    filter === 'transfers'
      ? 'bg-[#0B6E35] text-white'
      : 'bg-white text-[#6B7280] hover:bg-[#F9FAFB]'
    }`}
  >
    Overforinger
</button>
<button
  onClick={() => setFilter('qr')}
  className={`flex-1 rounded-full px-4 py-2 text-sm font-semibold transition-colors ${
    filter === 'qr'
      ? 'bg-[#0B6E35] text-white'
      : 'bg-white text-[#6B7280] hover:bg-[#F9FAFB]'
    }`}
  >
    QR-betalinger
</button>
</div>
```

Date Separator

```
<div className="px-6 pt-4 pb-2">
  <p className="text-xs font-semibold uppercase tracking-wider text-[#9CA3AF]">
    {dateLabel}
  </p>
</div>
```

Transaction Card

```
<div className="flex items-center justify-between rounded-2xl bg-white p-4 shadow-sm">
  <div className="flex items-center gap-3">
    <div className={`flex h-10 w-10 items-center justify-center rounded-full ${
      type === 'transfer' ? 'bg-[#0B6E35]/10' : 'bg-[#D4A017]/10'
    }`}>
      {type === 'transfer'
        ? <Send className="h-5 w-5 text-[#0B6E35]" />
        : <QrCode className="h-5 w-5 text-[#D4A017]" />
      }
    </div>
    <div>
      <p className="text-sm font-semibold text-[#1A1A1A]">{counterparty}</p>
      <p className="text-xs text-[#6B7280]">{typeLabel}</p>
    </div>
  </div>
  <div className="text-right">
    <p className="text-sm font-semibold text-[#1A1A1A]">{formattedAmount} NOK</p>
    <span className={`rounded-full px-2 py-0.5 text-xs font-medium ${statusClasses}`}>
      {statusLabel}
    </span>
  </div>
</div>
```

Status Badges

Status	Label	Classes
completed	fullfort	bg-[#16A34A]/10 text-[#16A34A]

Status	Label	Classes
pending	behandler	bg- [#D97706]/10 text- [#D97706]
failed	feilet	bg- [#EF4444]/10 text- [#EF4444]

Data Displayed

Data	Source	API
All transactions	Transaction history, filtered by selected tab	GET <code>/api/transactions?filter={all transfer qr}</code>
Transaction counterparty	Transaction record	From transactions table
Transaction type	Transaction record	transfer / qr_payment
Transaction amount	Transaction record	Negative for outgoing
Transaction status	Transaction record	completed / pending / failed
Transaction date	Transaction record	For grouping by date separator

User Interactions

Element	Action	Result
Back arrow	Click	Navigate back to previous page (dashboard)
"Alle" tab	Click	Show all transactions (no filter)
"Overforinger" tab	Click	Filter to show only transfer transactions
"QR-betalinger" tab	Click	Filter to show only QR payment transactions
Transaction card	Click	Navigate to transaction detail page (optional)
Bottom nav tabs	Click	Navigate to respective page

Norwegian Labels

Element	Norwegian Text
Page heading	Transaksjonshistorikk

Element	Norwegian Text
Filter: All	Alle
Filter: Transfers	Overforinger
Filter: QR Payments	QR-betalinger
Date separator: Yesterday	I GAR
Date separator: This week	DENNE UKEN
Date separator: This month	DENNE MANEDEN
Date separator: Earlier	TIDLIGERE
Transaction type: Transfer	Overforing
Transaction type: QR Payment	QR-betaling
Status: completed	fullfort
Status: pending	behandler
Status: failed	feilet

Design Tokens

Token	Value
Page bg	#EEEEEE
Card bg	#FFFFFF
Primary	#0B6E35
Primary hover	#095C2C
Accent/Gold	#D4A017
Text primary	#1A1A1A
Text muted	#6B7280
Text light	#9CA3AF
Border	#E5E7EB
Success	#16A34A
Warning	#D97706
Error	#EF4444
Brand font	font- [family-name:var(--font-fraunces)]
Card radius	rounded-2xl
Button radius	rounded-xl

Token	Value
Pill radius	<code>rounded-full</code>
Icon circle radius	<code>rounded-full</code>

Bottom Navigation

Yes — "Kort" tab appears active/highlighted (based on Figma). All other tabs inactive (gray, outline icons).

Revision #6

Created 2026-02-23 11:29:06 UTC by John

Updated 2026-05-25 07:25:33 UTC by John